

30L 304 Tank Benchtop Ultrasonic Cleaner Convenient Bottom Drainage

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: Made in China
- Brand Name: SkyMen
- Certification: CE, ROHS, FCC
- Model Number: 100S
- Minimum Order Quantity: 1 unit
- Price: Negotiation
- Packaging Details: Foam carton
- Delivery Time: In Stock



Product Specification

- Material: Stainless Steel House, 304 Tank
- Ultrasonic Power: 600W
- Timer: 1~30 Minutes, Digital Adjustable
- Heating Power: 500W
- Heater: Normal ~80 Degree Celsius
- Power Supply: 110V/220V
- Warranty: 1 Year
- Capacity: 30L
- Tank Dimension: 500x300x200mm
- Highlight: **skymen ultrasonic cleaner, stainless steel ultrasonic cleaner**



More Images



Product Description

30L Hardware Auto Part Ultrasonic Cleaner

Specifications:

Ultrasonic Frequency	40,000 Hz
Material	Stainless Steel SUS304
Tank Capacity	30 L
Timer	1-30minutes , Digital timer
Heater	20°C to 80°C
Power Supply	AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz
Ultrasonic Power	600 W Adjustable
Heating Power	500 W, Digital Heating
Tank Size	500 x 300 x 200 mm (L x W x H)
Unit Size	530 x 325 x 325 mm (L x W x H)
Package Size	635 x 405 x 390 mm (L x W x H)
N.W. / G.W.	15.0kg / 16.0kg
Warranty	1 year



Feature:

Stainless steel tank, high resistance to wear and long work-life.

Digital timing and heating control, super easy to operate.

Tap water directly, or industrial alcohol and solvent cleaner for higher cleaning requirement.

Convenient bottom drainage, avoid movement.

Industrial control chip micro-controller, flexible circuit boards control, more secure & stable.

Large tank capacity, large heating power and ultrasonic cleaning power, more efficient cleaning.

Support full voltage range from 100,110~130, 220~240V, plug type will be matched according to your shipping address.

Apply To:

Semi-conductor: Integrated circuit, power tube, silicon wafer, diode, lead frame, capillary, tray, etc.

Precision machine: Bearing, sewing machine parts, typewriter, textile machine, optical mechanical device, gas valve, watches, cameras, metal filter, element, etc.

Optical device: Glasses, lens, prism, optical lens, filter lens, glass device, film, optical fiber, etc.

Medical instrument: Medical instrument, denture, etc.

Electroplate: Galvanized parts, mold, stamping parts, etc.

Car parts: Piston ring, carburetor, flow meter housing, compressor shell, electrical components, etc.

Chemical fiber: Chemical or artificial fiber nozzle filter protector chemical fiber texture, etc.

Electrical&electronic machine: Tube parts, cathode ray tube, printed circuit board, quartz parts, electronic components, telephone switching equipment, speaker components, power meter, LCD glass, core iron parts, computer floppy disk, video parts, hoop parts, head, photo die mask, etc.

Hardware&machinery parts: Bearing, gear, ball, metal shaft parts, tools, adjustable valve and cylinder

Application



Cleaning Effect



Cautions:

Ensure the power supply is in rated range before power cable is connected. Rfiting is strictly prohibited! Attention that the control panel will be eroded by organic solution, strong acid and strong alkali.

Ensure the earth wiring is well connected before starting.

Ensure the power key or knob is on the 'OFF' place before starting.

Do not operate if the tank is empty, or ultrasonic generator will be damaged, if heating is needed, the water level shouldn't be less than 2/3.

Please close the lid to reduce noise and pay attention to water and steam in case of burning skin while open the lid.

Do not relocate the machine when fluid in the tank in case of overflow.

Suggest using water-soluble liquid for SKYMEN benchtop ultrasonic cleaners. Strong acid or flammability cleaner is forbidden.

Do not use the machine in severe environment:

The place where temperature changes fiercely
The place where humidity is too high and is easy to produce dew
The place where vibration or impact is strong
The place where water,oil or chemicals splash
The place where exists corrosive gas or dust
The place where is filled with explosive and flammable gas



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen