

Engine / Auto Parts Ultrasonic Cleaning Equipment 2400W 28/40KHz With Filter

Our Product Introduction

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SkyMen
- Certification: RoHS, CE, FCC, SGS
- Model Number: JP-480G
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 800 pcs per month



Product Specification

- Model: JP-480G
- Tank Volume: 175L
- Ultrasonic Power: 2400W
- Heating Power: 6000W
- Frequency: 40KHz/28KHz
- Internal Tank Size: 700X500X500mm (L*W*H)
- Filter Cycle System: 1 Set
- Gross Weight: 230KG
- Highlight: **ultrasonic cleaning device,
ultrasonic washing machine**



Product Description

2400W Large VOLUME Ultrasonic Cleaner for Engine, Auto Parts 28/40KHz With Filter

Specification


Model	JP-480G
Tank Volume	175L
Internal tank size	700X500X500mm
Transducers	48pcs 50W of every transducer
Ultrasonic Power	2400W
Heating Power	6000W
Frequency	28KHz/40KHz
Filtration Cycle System	1 set
Generator	2 set
Unit size	975*1300*810mm
Packing size	1035*1360*930mm
Timer	0~99 minutes adjustable
Heater	Room temperature~99 adjustable
Material	SUS 304 default, can be SUS 316
Power Supply	AC 220V 3 phase ; AC 380V 3 phase
N.W.	210KG
G.W.	230KG Wrapped by film in wooden case
Lead time	12 working days
Warranty	1 year warranty period, technique support all time
Certificates	CE, RoHS, FCC, SGS
Advantage	Filter the dirty water; keep the water clear in tank; lower the frequency of changing water

Images:



Clean effect:





Same series with different size:

Model	Tank size	Volume	Ultrasonic Power	Heating Power	Transducer
	L*W*H (mm)	(L)	(W)	(W)	(pcs)
JP-120G	500X300X250	38L	600W	1500W	12pcs
JP-180G	500X350X300	53L	900W	1500W	18pcs
JP-240G	550X400X350	77L	1200W	3000W	24pcs
JP-300G	550X450X400	99L	1500W	3000W	30pcs
JP-301G	800X300X400	96L	1500W	3000W	30pcs
JP-360G	600X500X450	135L	1800W	4500W	36pcs
JP-480G	700X500X500	175L	2400W	6000W	48pcs
JP-600G	800X600X550	246L	3000W	6000W	60pcs
JP-720G	1000X600X600	360L	3600W	9000W	72pcs
JP-1108G	1000X900X600	540L	5400W	18000W	108pcs
JP-1144G	1200X1000X800	960L	7200W	27000W	144pcs

Characteristics

1. Use ordinary tap water, alcohol or solvent as cleaning solution
2. High-power transducer cleaning effect is significant, can be observed with the naked eye
3. After washing, the object shines brightly
4. Digital LCD control boot time
5. All stainless steel casing, inner liner and lid, even more upscale
6. The waterproof performance is greatly improved, and the product is safer and more durable.
7. With heating and temperature system
8. With handle and drainage system, it is more convenient

FAQ:

Q: What are the advantages of Skymen ultrasonic cleaner over traditional cleaning methods?

A:

1. Minimize the use of manual labor
2. Make cleaning and degreasing without the use of organic solvents
3. Clean hard to reach areas of products and remove all types of dirt
4. Shorten the processes such as extraction, dispersion, purification, chemical reactions
5. Eliminates costly mechanical and chemical cleaning of heat exchangers

Q: What frequency is better for my parts?

A: Frequency is suggested based on pollutants in the objects.

28kHz frequency is stronger, better for car/motor/truck/vessel parts clean (remove oils, grease, pastes, etc.)

40kHz is better for pcb boards, electronic parts, etc.

Higher precision goods, higher frequency.

Q: Can ultrasonic cleaning damage parts?

A: Although the effect of thousands of implosions per second is very powerful, the cleaning process is safe. No damage to your daily objects.

Q: What cleaning solution should I use?

A: A large variety of different formulas designed for specific applications. Proper selection is crucial for acceptable cleaning activity and to prevent unwanted reactions with the workpiece.

Q: Is rinsing after cleaning cycles?

A: Rinsing is recommended to remove any chemical residue that could be harmful to the part. Details can be rinsed right in your ultrasonic cleaner or in a clean water bath or in a separate sink tap, distilled or deionized water.



Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen