

### Metal Benchtop Ultrasonic Cleaner, 40KHz Ultrasonic Cleaning Equipment 3.2L 120 Watt

#### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



RoHS, CE, FCC, SGS

Negotiation

In Stock

T/T

Wooden case

8000 pcs per month

1

- 020S



#### **Product Specification**

- Model:
- First Tank Volume:
- Tank Size:
- Ultrasonic Power:
- Heating Power:
- Frequency:
- Timer:
- Temperature:
- Highlight:

020S
3.2L
240*135*100mm
120W
100W
28/40KHz
0~30 Minutes Adjustable
20~80 Adjustable
ultrasonic bath cleaner,

ner, table top ultrasonic cleaner



#### More Images



#### **Product Description**

#### 3.2L Ultrasonic Cleaner 120W for Vinyl Record, CD, Musical Instruments 40KHz

Specification	
Model	020S
Ultrasonic frequency	40,000Hz
Material of tank	SUS304
Material of shell	SUS304
Capacity	3.2L
Timer	0~30 mins adjustable
Temperature	20~80 adjustable
Power supply type 1	AC 100~120V, 50/60Hz
Power supply type 2	AC 220~240V, 50/60Hz
Ultrasonic power	120W
Heating Power	100W
Tank inner dimension	240*135*100mm
Unit dimension	270*185*230mm
Inner Packing size	255*240*230mm
N.W.	3.35kg
G.W.	4kg
Warranty	1 year
Certificate	SGS & FCC & CE & RoHS

## Similar models with different capacity: *Stainless Bench Top*



Model	Capacity	Tank Size	Ultrasonic Power	Heating Power	Frequency
	(L)	(L*W*H)mm	(W)	(W)	(KHz)
008	0.8	150*85*65	35	0	40
009	0.9	150*135*65	60	100	40
010T	2	150*165*100	60	100	40
020S	3.2	240*135*100	120	100	40
030S	4.5	300*150*100	180	200	40
031S	6.5	300*150*150	180	200	40
040S	10	300*240*150	240	200	40
060S	15	330*300*150	360	300	40
080S	22	500*300*150	480	500	40
100S	30	500*300*200	600	500	40

#### Image:

# **Appearance details**





Compared to traditional cleaning methods, ultrasonic cleaners show great advantages. Especially in specialized and grouporiented production enterprises, ultrasonic cleaning has gradually replaced traditional dipping, brushing, pressure washing, vibration cleaning and steam cleaning.

Ultrasonic cleaners are highly efficient and clean, thanks to the penetrating and cavitation shock waves that their sound waves travel through the medium. Therefore, it is easy to clean the parts with complicated shapes, and the general degreasing, descaling, phosphating and other processes can be completed in two or three minutes under the action of ultrasonic waves, and the speed can be several times higher than the conventional method. To a few dozen degrees, the cleanliness can also reach a high standard, which highlights the results that are difficult or impossible to replace with other treatment methods in many cases where the surface quality and production efficiency of the product are high.

