

15L 360W 40KHz Benchtop Ultrasonic Cleaning Machine For Laboratory

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SkyMen
- Certification: RoHS, CE, FCC, SGS
- Model Number: 060S
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Wooden case
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 8000 pcs per month



Product Specification

- Model: 060S
- First Tank Volume: 15L
- Tank Size: 330*300*150mm
- Ultrasonic Power: 360W
- Heating Power: 300W
- Frequency: 40KHz
- Timer: 0~30 Minutes Adjustable
- Temperature: 20~80 Adjustable
- Material: SUS304
- Highlight: 40KHz Benchtop Ultrasonic Cleaning Machine, 360W Benchtop Ultrasonic Cleaning Machine, 15L Laboratory Ultrasonic Cleaner



More Images



Product Description

Surgery Tools Ultrasonic Washer for Dropper Glass Container lab tools 40KHz 15L 360W

Specifications:

Ultrasonic Frequency	40KHz
Material	Stainless Steel SUS304
Tank Capacity	15L
Timer	1-30minutes , Digital timer
Heater	20°C to 80°C
Power Supply	AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz
Ultrasonic Power	360W
Heating Power	300W, Digital Heating
Tank Size	330 x 300 x 150 mm (L x W x H)
Unit Size	400 x 350 x 280 mm (L x W x H)
Package Size	460 x 410 x 340 mm (L x W x H)
N.W.	9.5 kg
G.W.	11 kg

Similar models with different capacity:

Stainless Bench Top



Model	Capacity (L)	Tank Size (L*W*H)mm	Ultrasonic Power (W)	Heating Power (W)	Frequency (KHz)
008	0.8	150*85*65	35	0	40
009	0.9	150*135*65	60	100	40
010T	2	150*165*100	60	100	40
020S	3.2	240*135*100	120	100	40
030S	4.5	300*150*100	180	200	40
031S	6.5	300*150*150	180	200	40
040S	10	300*240*150	240	200	40
060S	15	330*300*150	360	300	40
080S	22	500*300*150	480	500	40
100S	30	500*300*200	600	500	40

Digital Series Product Parameters

Model							
	020S	030S	031S	040S	060S	080S	100S
Capacity (L)	3.2L	4.5L	6.5L	10L	15L	22L	30L
Tank Size (mm)	240*135*100	300*150*100	300*150*150	300*240*150	330*300*150	500*300*150	500*300*200
Overall Size (mm)	270*185*230	330*200*235	375*200*275	380*290*280	400*350*280	585*330*280	585*327*333
Ultrasonic Power	120W	180W	180W	240W	360W	480W	600W
Heating Power	100W	200W	200W	200W	300W	500W	500W
Transducer Quantity	2pcs	3pcs	3pcs	4pcs	6pcs	8pcs	10pcs
Time Setting	0-30min	0-30min	0-30min	0-30min	0-30min	0-30min	0-30min
Temperature Setting	up to 80°C	up to 80°C	up to 80°C	up to 80°C	up to 80°C	up to 80°C	up to 80°C
With Drainage Tap	NO	NO	YES	YES	YES	YES	YES
With Cleaning Basket	YES	YES	YES	YES	YES	YES	YES
Tank Materials	SUS304	SUS304	SUS304	SUS304	SUS304	SUS304	SUS304

Details:

PRODUCT DETAIL

SKYMEN specialize in ultrasonic cleaners manufacturing since 2007, Professional team, quality assurance



1


Cooling vents

Quickly cool the internal components of the machine, protecting the circuit board.

2

Insulation handle


Insulation handle design, anti-static, anti-high temperature, not slippery hand, more secure.



3

Double insurance


Independent switch operation safety, built-in spare fuse, double insurance.



4

SUS304 tank

Thickness 1.1mm, heat-resisting and corrosion-resisting, safety and health



5

Drain valve

The drain valve is made of high quality stainless steel, corrosion-resistant and switch adjustable



6

Non-slip pad

Non-slip anti-shock pad, place all surfaces without sliding



1. Lower noise.
2. tank capacity:15L, **with Digital timer & heater control**
3. with Stainless steel basket
4. Use just tap water, or industrial alcohol and solvent cleaner for more higher cleaning requirement
5. industrial control chip microcontroller. flexible circuit boards control, more secure & stable
6. **1 year warranty and technologic support all life.**

If you want choose other function, please see the buying guide as below:

1. Choose suitable tank size based on cleaning objects, size can be customized
2. Choose suitable frequency, 40kHz for common use and 28kHz for heavy duty oil removal
3. Choose tank material based on solvent, SUS304 or SUS316L
4. Other function optional, Ultrasonic cleaning tank + Ultrasonic Rinsing tank; Ultrasonic cleaning tank + Air agitation Rinsing tank; Ultrasonic cleaning tank + Water Rinsing tank; Ultrasonic cleaning tank + Hot air drying tank; Oil filtration system: detergent recycle use to save much cost.

Application:

MULTIPURPOSE CLEANING

It's efficient for most of household items that could be used to clean. get the best cleaning effects with the least effort.



Glasses



Watchband



Jewelry



Tableware



Toothbrush



Denture



Shaver



Bottles&nipples



Nail Tools

FAQ:

Q. Can ultrasonic cleaning damage my parts?

No damage to your parts. Although the effects of thousands of air bubble implosions per second is very powerful, the cleaning process is safe since the energy is localized at the microscopic level. As ultrasonic jewellery cleaner, it is safe for your jewelry, diamond or other expensive goods.

Q. Why is a special solution required for cleaning?

If no special solution, oil or other dirty adhere to the parts would just fall off the parts! The purpose of the solution is to break the bonds between parts and their oil. Water alone has no cleaning properties.

Q. What cleaning solution should I use?

Modern ultrasonic cleaning solutions are compounded from a variety of detergents, including wetting agents and other reactive components. A large variety of excellent formulations are available, designed for specific applications. For selecting which one solution, you could consult your local solution company and they can give you more professional advice. **strong acid and alkali is not allowed as cleaning solution.**



SkyMen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen