



## 15 Liters 40KHz Bench Top Ultrasonic Cleaner SUS304

Our Product Introduction

for more products please visit us on [skymenultrasonic.com](http://skymenultrasonic.com)

### Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SkyMen
- Certification: RoHS, CE, FCC, SGS
- Model Number: 060S
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Carton
- Delivery Time: In Stock
- Payment Terms: T/T, Paypal, credit card
- Supply Ability: 8000 pcs per month



### Product Specification

- Model: 060S
- First Tank Volume: 15L
- Tank Size: 330\*300\*150mm
- Ultrasonic Power: 360W
- Heating Power: 300W
- Frequency: 40KHz
- Timer: 0~30 Minutes Adjustable
- Temperature: 20~80 Adjustable
- Material: SUS304
- Highlight: 40KHz Bench Top Ultrasonic Cleaner, Bench Top Ultrasonic Cleaner SUS304, 15 Liters Heated Ultrasonic Cleaner



### More Images



## Product Description

### 15 liters professional commercial bench top ultrasonic cleaner digital control for circuit board

#### Specifications:

Ultrasonic Frequency	40KHz
Material	Stainless Steel SUS304
Tank Capacity	15L
Timer	1-30minutes , Digital timer
Heater	20°C to 80°C
Power Supply	AC 100 ~ 120V, 50 / 60Hz AC 220 ~ 240V, 50 / 60 Hz
Ultrasonic Power	360W
Heating Power	300W, Digital Heating
Tank Size	330 x 300 x 150 mm ( L x W x H )
Unit Size	400 x 350 x 280 mm ( L x W x H )
Package Size	460 x 410 x 340 mm ( L x W x H )
N.W.	9.5 kg
G.W.	11 kg

#### Similar models with different capacity:

#### **Stainless Bench Top**



Model	Capacity (L)	Tank Size (L*W*H)mm	Ultrasonic Power (W)	Heating Power (W)	Frequency (KHz)
008	0.8	150*85*65	35	0	40
009	0.9	150*135*65	60	100	40
010T	2	150*165*100	60	100	40
020S	3.2	240*135*100	120	100	40
030S	4.5	300*150*100	180	200	40
031S	6.5	300*150*150	180	200	40
040S	10	300*240*150	240	200	40
<b>060S</b>	<b>15</b>	<b>330*300*150</b>	<b>360</b>	<b>300</b>	<b>40</b>
080S	22	500*300*150	480	500	40
100S	30	500*300*200	600	500	40

## Digital Series Product Parameters

Model							
	020S	030S	031S	040S	060S	080S	100S
Capacity (L)	3.2L	4.5L	6.5L	10L	15L	22L	30L
Tank Size (mm)	240*135*100	300*150*100	300*150*150	300*240*150	330*300*150	500*300*150	500*300*200
Overall Size (mm)	270*185*230	330*200*235	375*200*275	380*290*280	400*350*280	585*330*280	585*327*333
Ultrasonic Power	120W	180W	180W	240W	360W	480W	600W
Heating Power	100W	200W	200W	200W	300W	500W	500W
Transducer Quantity	2pcs	3pcs	3pcs	4pcs	6pcs	8pcs	10pcs
Time Setting	0-30min	0-30min	0-30min	0-30min	0-30min	0-30min	0-30min
Temperature Setting	up to 80°C	up to 80°C	up to 80°C	up to 80°C	up to 80°C	up to 80°C	up to 80°C
With Drainage Tap	NO	NO	YES	YES	YES	YES	YES
With Cleaning Basket	YES	YES	YES	YES	YES	YES	YES
Tank Materials	SUS304	SUS304	SUS304	SUS304	SUS304	SUS304	SUS304

Details:

## PRODUCT DETAIL

SKYMEN specialize in ultrasonic cleaners manufacturing since 2007, Professional team, quality assurance



1


### Cooling vents

Quickly cool the internal components of the machine, protecting the circuit board.

2

### Insulation handle


Insulation handle design, anti-static, anti-high temperature, not slippery hand, more secure.



3

### Double insurance

Independent switch operation safety, built-in spare fuse, double insurance.



4

#### SUS304 tank

Thickness 1.1mm, heat-resisting and corrosion-resisting, safety and health



5

#### Drain valve

The drain valve is made of high quality stainless steel, corrosion-resistant and switch adjustable



6

#### Non-slip pad

Non-slip anti-shock pad, place all surfaces without sliding



1. Lower noise.
2. tank capacity:15L, **with Digital timer & heater control**
3. with Stainless steel basket
4. Use just tap water, or industrial alcohol and solvent cleaner for more higher cleaning requirement
5. industrial control chip microcontroller. flexible circuit boards control, more secure & stable
6. **1 year warranty and technologic support all life.**

#### Application:

Most hard, non-absorbent materials (metals, plastics, etc.) not chemically attacked by the cleaning fluid are suitable for ultrasonic cleaning. Ideal materials for ultrasonic cleaning include small electronic parts, cables, rods, wires and detailed items, as well as objects made of glass, plastic, aluminium or ceramic.


#### Domestic & Professional Use

1. **Jewelry:** Earrings, Necklaces, Rings, Bracelets, and Diamonds.
2. **Glasses and Timepieces:** Glasses, Sunglasses, Optical Lenses, Contact Lens Accessories, Watch Chains, and Waterproof Watches.
3. **Tools of the Trade:** Tattoo Guns and Tubes, Electric Shaving Heads, Razor Blades, Combs, and Toothbrushes.
4. **Stationery:** Printer-heads, Ink Cartridges, and Seals.
5. **Metal Articles:** Antique Coins, Badges, Valves, Machine Nozzles, Electronic Components, and Mechanical Parts.
6. **Metal Dishware:** Forks, Knives, Spoon, Other Small Silverware, etc.

#### Cleaning effect:

# CLEANING EFFECT

Better cleaning when cleaning with detergent



**Skymen Technology Corporation Limited**

☎ 86-755-27094405

✉ [info@skymen.cc](mailto:info@skymen.cc)

🌐 [skymenultrasonic.com](http://skymenultrasonic.com)

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen