

Steel 5 liters 180W Table Top Ultrasonic Cleaner 40KHz

Our Product Introduction

for more products please visit us on skymenultrasonic.com

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: SkyMen
- Certification: RoHS, CE, FCC, SGS
- Model Number: 030S
- Minimum Order Quantity: 1
- Price: Negotiation
- Packaging Details: Carton
- Delivery Time: In Stock
- Payment Terms: T/T
- Supply Ability: 8000 pcs per month



Product Specification

- Model: 030S
- First Tank Volume: 4.5L
- Tank Size: 300*150*100mm
- Ultrasonic Power: 180W
- Heating Power: 200W
- Frequency: 40KHz
- Timer: 0~30 Minutes Adjustable
- Temperature: 20~80 Adjustable
- Materials: Stainless Steel 304
- Highlight: 180W Table Top Ultrasonic Cleaner, 40KHz Table Top Ultrasonic Cleaner, 5 Liters Ultrasonic Cleaning Machine



More Images



Product Description

Durable bench top Ultrasonic Cleaner 4.5L 180W For surgical instruments Ieb Musical Instruments

Specification

Model	030S
Ultrasonic frequency	40,000Hz
Material of tank	SUS304
Material of shell	SUS304
Capacity	4.5L
Timer	0~30 mins adjustable
Temperature	20~80 adjustable
Power supply type 1	AC 100~120V, 50/60Hz
Power supply type 2	AC 220~240V, 50/60Hz
Ultrasonic power	180W
Heating Power	200W
Tank inner dimension	300*150*100mm
Unit dimension	270*185*230mm
Inner Packing size	410*255*320mm
N.W.	4.75kg
G.W.	5.4kg
Warranty	1 year
Certificate	SGS & FCC & CE & RoHS

Similar models with different capacity:

Stainless Bench Top



Model	Capacity	Tank Size	Ultrasonic Power	Heating Power	Frequency
	(L)	(L*W*H)mm	(W)	(W)	(KHz)
008	0.8	150*85*65	35	0	40
009	0.9	150*135*65	60	100	40
010T	2	150*165*100	60	100	40
020S	3.2	240*135*100	120	100	40
030S	4.5	300*150*100	180	200	40
031S	6.5	300*150*150	180	200	40
040S	10	300*240*150	240	200	40
060S	15	330*300*150	360	300	40
080S	22	500*300*150	480	500	40
100S	30	500*300*200	600	500	40

Details:

PRODUCT DETAIL

SKYMEN specialize in ultrasonic cleaners manufacturing since 2007, Professional team, quality assurance



1


Cooling vents

Quickly cool the internal components of the machine, protecting the circuit board.

2

Insulation handle

Insulation handle design, anti-static, anti-high temperature, not slippery hand, more secure.



3


Double insurance

Independent switch operation safety, built-in spare fuse, double insurance.

4

SUS304 tank

Thickness 1.1mm, heat-resisting and corrosion-resisting, safety and health



5

Non-slip pad

Non-slip anti-shock pad, place all surfaces without sliding

Ultrasonic cleaner is the best solution for cleaning different size tools or other items. It uses the ultrasonic to produce the cavitation that means millions of mic-vacuum bubbles. When "explode", they would produce stronger energy which can remove the dirt that is hard to clean.

Product Application

- 1.Printer inkjet-heads, seals, ancient coins, badges, valves, machine nozzles,
- 2.Silverware. bronze ware, antiques, Jewelry, rings, diamond, bracelets, watches
- 3.eyeglasses, sunglasses, optical lenses, tattoo instruments, and piercing.
- 4.Men's shaver head, razors, dentures, combs, toothbrushes, and dining appliance.
- 5.Baby nipples, baby feeder bottles, tableware, fruit, vegetables.

Features:

- 1.Use just tap water, or industrial alcohol and solvent cleaner for more higher cleaning requirement.
- 2.digital timer, clear digital LCD display.
- 3.Power supply can be either AC 100 ~ 120V or AC 200 ~ 240V.
- 4.industrial control chip microcontroller.flexible circuit boards control, more secure & stable.

Cleaing effect:

Before & After Cleaning Comparison





Professional Ultrasonic Cleaning Equipment Manufacturer

Our Advantages

13+

13+ years R&D
experience

10,000+

10,000+ square
meters factory

200+

200+ experienced
employees

120+

120+ countries and
areas exported


Our Factory



Our Sales Team



Our RD Team





Skymen Technology Corporation Limited



86-755-27094405



info@skymen.cc



skymenultrasonic.com

Floor 1st & 2nd, Building 3, Tanggang Taifeng Industrial Park, Dawangshan Community, Shajing Street, Bao'an District, Shenzhen